

Transportation Building P.O. Box 47300 Olympia, WA 98504-7300

## TO ALL

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

## **BIDDERS**

Enclosed is the May 1997 revision of the Washington State Department of Transportation's "GUIDELINES FOR PROPER BID PROPOSAL PREPARATION."

Please take the time to read it and keep as a reference for using the correct procedures to prepare a bid proposal.

## The Department has had continuing problems with the following:

No acknowledgment or improper acknowledgment of addenda

Submitting wrong proposal bond form

Extension price errors

Improper corrections

No unit price entered

Rounding off figures

Using improper format for fax changes

The correct procedures for all the above are addressed in this pamphlet, in addition to a sample proposal. Using these "GUIDELINES" should ensure that an improper proposal will not be a cause for rejection of bid or delay of award.

## WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

## TRANSPORTATION BUILDING

OLYMPIA, WASHINGTON 98504-7360

PROPOSAL PREPARATION

OCTOBER 1999

## **INDEX**

			Page		
	PUR	POSE	1		
I.	Gene	eral			
	A.	Prequalification	1		
	B.	Prequalification Bidding Limit	1		
	C.	Bid Proposal	1		
	D.	Standard Bid Envelope	2		
	E.	Proper Use of Firm Name	2		
	F.	Time and Place for Submitting Bids	2		
	G.	Bids to be Typed or in Ink	2		
	H.	Change of a Bid Proposal	2		
	I.	Bid Items Totaled	2		
	J.	Proposal Not Modified or Conditioned	2		
	K.	Published Estimate Ranges	. 3		
П.	Bid Proposal and Allied Documents				
	A.	Non-Collusion Affidavit.	3		
	B.	Proposal Bond.	3		
		1. "Power-of-Attorney" Form	3		
		2. Proposal Bond	3		
	C.	Bid Items	3-4		
	D.	Signature Sheet	4		
		1. Authorized Signature	4		
		2. Addendum Acknowledgement	4		
		3. Federal Tax ID Number	5		
		4. Proposal Number	5		
	E.	Minority, Disadvantaged, or Women's Enterprise			
		(MBE/DBE/WBE) Goal Certificate	5		
	F.	Subcontractor List	5		
	EXHIE	BIT A - Example Format for Telecopier Changes	6		

## GUIDELINES FOR PROPER BID PROPOSAL PREPARATION

PURPOSE: To Establish Guidelines To Assist Contractors In Properly Completing Their Bid Proposals.

## I. GENERAL,

Prior to submitting a bid proposal, contractors should ensure that:

- A. Their firm is prequalified and that their prequalification data is current. It is the Department's policy not to issue a proposal for any project bidding after a contractor's prequalification expiration date if renewal papers have not been submitted to the prequalification engineer as prescribed in WAC 468-16.
- B. They are <u>not bidding</u> above their established prequalified bidding limit. There may be occasions when a contractor will be authorized a bid proposal for a project when the project estimate is slightly higher than his prequalified bidding limit. Authorization is given <u>ONLY</u> with the understanding that should the contractor elect to bid on that project, his bid total plus any work in progress for the Department will <u>not exceed</u> his established prequalified bidding limit. Failure by the contractor to stay within his prequalified bidding limit may result in the rejection of the proposal.

If the contractor elects to bid on more than one project at a letting, the combination of which exceeds his bidding rate and he is low on more than one, the Department reserves the right to award the project of its selection. (Reference: Section 1-02.1 1 of the Standard Specifications.)

- C. Bids are submitted on the bidding proposal form furnished by the Department. Bids submitted on informational copies must have prior written approval by the Department for their use.
  - 1. Prior to being given approval to use the Informational Proposal, the contractor will be required to make such a request in writing. This request may be made by telegram or electronic facsimile.
  - 2. The Department will respond in writing giving such approval, if granted, by electronic or facsimile means. A copy of the written approval must be included with the contractor's bid proposal. Failure to comply with this requirement may result in the rejection of the proposal.
  - 3. Photo copies of original proposal pages may not be submitted.

- 4. Original proposals submitted by fax machine will not be accepted.
- 5. The last revised proposal must be submitted as the bid document. In lieu of sending a revised proposal, the Department may issue an addendum instructing the bidder to revise or delete an item by *a pen and ink* change.
- D. Bids should be submitted in the standard bid envelope furnished with the proposal. The use of the standard bid envelope will assist in expediting the receipt of bids.
- E. The firm's name on the proposal must be identical to the name under which the firm is prequalified. If two firms are entering into a joint venture for a specific job, they must have the joint venture prequalified by the Department prior to the submission of their bid. (Reference: Section 1-02.1, paragraph 3 and 4 of the Standard Specifications.)
- F. Bids must be in possession of the Department by 10:00 a.m. of the day designated for the bid opening. Bids mailed in must be in the Olympia Post Office Box 47360 by 10:00 a.m. of the bid opening date. Bids delivered in person will be received in the Department of Transportation Bid Commission Room located on the first floor, D wing, Transportation Building, 310 Maple Park Ave, Olympia, Washington 98504-7360 until 10:00 a.m. of the bid opening date. Any bids received after the above established times will not be accepted.
- G. Bids submitted must be typed or in ink.
- H. Changes in bid proposals must be received in writing, by telegram or by electronic facsimile transmission prior to the time designated for bid opening. The telephone number for electronic facsimile modification of proposals in the Department of Transportation is 360/705-6810. The project title and contractor's proposal number must be specified when sending in proposal changes. Be sure to follow example format Example A.

Changes must be made for each bid item affected. Lumping the changes into one bid item may result in the bid item being unbalanced, causing the proposal to be considered irregular and constituting grounds for rejection. (Reference: Section 1-02.13 of the Standard Specifications.) Proposals will be modified at the bid opening in accordance with transmission **received prior** to the designated time of bid opening. Proposal modifications received after that time will not be considered. Complete proposals will not be accepted as a change. Bid changes will not be accepted for transmission by Department of Transportation offices. If changes are transmitted by facsimile machine, the original transmittal sheet must then be forwarded immediately to the Department.

- I. Bid items must be totaled. Be sure appropriate sales tax is included where applicable. (Reference: Section 1-07.2 of the Standard Specifications.)
- J. The proposal must not contain any additions, deletions, unauthorized alternate bids or conditions that may be considered irregular and may result in the rejection of the proposal. (Reference: Section 1-02.13 of the Standard Specifications.)

K. Estimate ranges published for each project advertised should not be used as a basis for bid preparation.

## II. BID PROPOSAL AND ALLIED DOCUMENTS (See attached example Proposal.)

## A. Non-Collusion Declaration:

The contractor is advised that by signature on the proposal he is deemed to have signed the non-collusion declaration.

## B. Proposal Bond:

The correct method of completing the Proposal Bond is illustrated in the accompanying example bid proposal.

- 1. "Power-of-Attorney" Form: When the "Attorney-in-Fact" is not currently registered with the State Insurance Commission. The Department of Transportation also requires that a "Power-of-Attorney" Form for the Surety be attached to the Proposal Bond when submitting Proposals.
- 2. Proposal Bond: (a) The Department of Transportation has developed a bond form which meets the approval of the State Attorneys. This form is enclosed with each proposal when issued. **Bid Bonds submitted on other than the bond form provided by the department may be subject to rejection.** (b) Assure that the bonding agency has not limited the bond below an amount equal to five percent of the total bid amount, e.g., "... not to exceed ....\$\_\_\_\_\_\_." Failure to comply with these requirements may constitute an invalid proposal bond. (c) The surety company must be authorized by the Office of the Washington State Insurance Commissioner.

## C. Bid Items: (See attached example Proposal.)

- **NOTE:** The accompanying example proposal contains circled numbers making reference to **bid items 1, 3, 11, 13, 17, 21, and 28,** to illustrate requirements contained herein. The correc\$"method of completing individual bid items is as follows:
- Item 1 Lump sum: When "Lump Sum" appears in the "Price per Unit" column, NO FIGURE should be placed in this column. ONLY the total bid item amount is to be entered in the "Total Amount" column. See Item No. 1 of the example bid proposal.
- **Item 3** Unit Price Extension: Item No. 3 is an example of how bid prices and price extensions should be written.

- Item 11 When figures entered into the "price per unit" column are less than 10 cents, a zero (0) should be placed in front of the numerical value; e.g., Item in No. 11, the cents should be written as .04. Cents signs (\$ ) must not be added. A preprinted decimal point separates the dollars and cents in the "price per unit" and "total amount" columns.
- **Item 13** Estimated Price: No modification is to be made to any bid item where an estimated amount has been preprinted. Item No. 13 of the example bid proposal is referenced as an illustration.
- Item 17 Amounts entered into the "price per unit" column should not exceed four places to right of decimal. Extended prices must not exceed two places to the right of the decimal. (Sec. 1-02.6 of the Standard Specifications.) Do not write either amount in words on the proposal.
- Item 21 When corrections are necessary, the incorrect figure should be crossed out with a "single line" and the new figure written above the correction. Correction fluid should not be used. The correction should always be initialed by the person signing the proposal. A correct example of this procedure is shown on Item No. 21 and the total of the example proposal following.
- Item 28 All bid item blocks must be completed or otherwise acknowledged. There may be instances where a contractor will not want to submit a price for a given item. In such case, the bidder should either write NO CHARGE or ZEROES in the appropriate "unit price" column and "total amount" column. Unit bid prices are examined for appropriateness in any instance where they are not commensurate with the work involved.
  - NOTE: The extension of the quantity multiplied by the unit price should always be checked. Some proposals received contain at least one error in extension. When there is a discrepancy between unit price and extension, the unit price will <a href="Moreitating"><u>Orevitating</u></a> a unit price or a total amount may be cause for rejection of the bid. Extended unit prices must not be rounded off, i.e., a.n extended amount of \$1,999.95 must not be written as \$2,000.00. (Sec. 1-02.13 of the Standard Specifications.)

## D. Signature Sheet

- 1. The signature sheet of the bidding proposal must always be signed by an <u>authorized</u> representative of the firm as listed on the prequalification documents. Failure to comply with this requirement may constitute grounds for rejection of the bid. Any corrections to the proposal must also be initialed by the authorized signatory.
- 2. Addendum acknowledgment is accomplished on the signature page of the bidding foroposal dry indinating the numbers or letters of the addenda received te daddenda are alphabetized and must also be acknowledged on the signature page (See Example Proposal). Failure to comply with this requirement may result

in the rejection of the bid. It is not necessary to include the addendum when submitting your proposal.

Neglecting to acknowledge all addenda for a specific project is a typical error. To alleviate this problem, all addenda issued for all projects are displayed at the Bid Receipt Table for review prior to submission of bids on the morning of the bid opening.

- 3. Company Federal Tax ID Number is to be recorded on the signature page.
- 4. Each bid proposal issued is individually numbered with the proposal number appearing on the BOTTOM RIGHT HAND CORNER of the signature page. This number is issued to preclude compromise of a contractor's bid. Reference to this number is required whenever a bid is modified by electronic facsimile transmission or by other means.

## E. Disadvantaged Business Enterprise Goal Certificate:

(See the following example proposal.)

The DBE certification sheet must be completed when the project documents contain a DBE goal in order to be eligible for award of the contract. Failure to complete and submit the certificate or the inclusion of a false certificate may be considered evidence that the proposal is unresponsive to the invitation to bid.

The State expects the bidder to make every effort necessary through solicitations and negotiations in advance of the date specified for opening of bids to attain the specified DBE subcontracting goal.

## F. Subcontractor List:

In accordance with RCW 39.30.060

## The bidder must submit with its bid a list of:

**(See** the subcontractor list included in the example proposal.)

1. Subcontractor(s), that are proposed to perform the work of heating, ventilation and air conditioning, plumbing/'as described in chapter 18.106 RCW, and electrical as described in Chapter 19.28 RCW. The work to be performed is to be listed below the subcontractor(s) name.

A proposal will be considered irregular and will be rejected if the bidder does not provide this list as part of the proposal when submitting the bid. (Standard Specifications for Road, Bridge, and Municipal Construction Section 1-02.6)

## Example A

## **EXAMPLE FORMAT FOR PROPOSAL CHANGES**

## PREPARE ON YOUR COMPANY LETTERHEAD

## **Bid Opening Date**

Department of Transportation Transportation Building Olympia, WA 98504-7360

## RE: PROJECT TITLE

Contractor's Proposal Number

*	Please reduce Bid Item No by feet, etc.)	/\$	per (cubic yard, linear
For an i	ncrease in a bid amount:		
*	Please increase Bid Item No b feet, etc.)	y S	per (cubic yard, linear
	This will <u>increase/decrease</u> our total by (Circle one)	y \$	
		Signed by an individual a and execute documents or	•

## \*NOTE:

Changes (increase/decrease statement) must be made for each bid item affected. Lumping the changes into one bid item may result in the bid item being unbalanced, causing the proposal to be considered irregular and constituting grounds for bid rejection. The total difference in the bid should always appear last. Please do not refer to your original bid total or new bid total when making bid changes.

To expedite making changes at the bid opening, list <u>all decreases in bid items in numerical order first</u>, followed by all increases in bid item order.

## **Proposal** For **Bidding Purposes**

**Example** 

For Construction of:

**SR** 405

NORTHUP TO BOTHELL HIGH WOODLANDS NOISE WALL

**A State Project** 

**KING County** 

**Example** 

Sealed bids will be received in the Transportation Bid (Commission) Room (Room 1 D2) of the Transportation Building, 310 Maple Park Avenue SE, Olympia, Washington 98504-7360, until IO:00 AM, or at PO Box 47360, Olympia, Washington, 98504-7360, until IO:00 AM, on the date scheduled for opening bids.



Washington State Department of Transportation

## IS YOUR SUBCONTRACTOR LIST INCLUDED???

## **IF NOT**

## YOUR BID WILL BE CONSIDERED IRREGULAR


AND WILL BE REJECTED!!!

# SUBMIT THE ENCLOSED PROPOSAL BOND FORM WITH YOUR PROPOSAL.

## USE OF OTHER FORMS MAY SUBJECT YOUR BID TO REJECTION.

## **Example**

NOTE: Use of other forms may limit the bond below an amount equal to five percent of the bid total.



## Proposal Bond.

## **Example**

## KNOW ALL MEN BY THESE PRESENTS, That we,

as principal, and the

a corporation duly organized under the laws of the state of
authorized to do business in the State of Washington, as surety, are held and firmly bound unto the State
of Washington in the full and penal sum of five (5) percent of the total amount of the bid proposal of said
principal for the work hereinafter described, for the payment of which, well and truly to be made, we bind
our heirs, executors, administrators and assigns, and successors and assigns, firmly by these presents.

The condition of this bond is such, that whereas the principal herein is herewith submitting his or its sealed proposal for the following highway construction, to wit:

## **Example**

said bid and proposal, by reference thereto, being made a part hereof.

NOW, THEREFORE, If the said proposal bid by said principal be accepted, and the contract be awarded to said principal, and if said principal shall duly make and enter into and execute said contract and shall furnish bond as required by the Department of Transportation within a period of twenty (20) days from and after said award, exclusive of the day of such award, then this obligation shall be null and void, otherwise it shall remain and be in full force and effect.

IN TESTIMONY	WHEREOF, The principal and surety have ca	aused these presents to be signed
and sealed this	day of	
	(Pnncipal)	
	(Surety)	
	(Attorney-m-fact)	

SR 405 NORTHUP TO BOTHELL HIGH WOODLANDS NOISE WALL 97wo24

9352238

## GENERAL POWER OF ATTORNEY

all men by these Presents. That AMERICAN BONDING COMPANY hzs made, committed and appointed, and by

these presents does make, constitute and appoint

Alia Valencia

its true and lawful attorney-in-fact, for it and in its name, place, and stead to execute on behalf of the said Company, as surely, bonds, undertakings and contracts of suretyship to be given to

provided that no bond or undertaking or contract of suretyship executed under thii authority shall exceed in amount the sum of

This Power of Attorney is granted and is signed and sealed by facsimile under and by the authority of the following Resolution adopted by the Board of Directors of the Company on the 15th day of November, 1991.

"RESOLVED, that the Chairman of the Board, the Vice Chairman of the Board, the President, an Executive Vice President or a Senior Vice President or a Vice President of the Company, be, and that each or any of them is, authorized to execute Powers of Attorney qualitying the attorney-in-fact named in the given Power of Attorney to execute in behall of the Company, bonds, undertakings and all contracts of suretyship; and that an Assistant Vice President, a Secretary or an Assistant Secretary be, and that each or any of them hereby is, authorized to attest the execution of any such Power of Attorney, and to attach thereto the seal of the Company.

FURTHER RESOLVED, that the signatures of such officers and the seal of the Company may be afficed to any such Power of Attorney or to any certificate relating thereto by facsimile, and any such Power of Attorney or certificate bearing such facsimile signatures or facsimile saal shall be valid and binding upon the Company when so affixed and in the future with respect to any bond, undertaking or contract of suretyship to which it is attached."

In Witness Whereof, AMERICAN BONDING COMPANY has caused its official seal to be hereunto affixed, and these presents to be signed by one of its Vice Presidents and attested by one of its Assistant Vice Presidents this 28th Day of July, 1997.

Attest

William R. McKenzie, Assistant Vice President

STATE OF ARIZONA

COUNTYOFPIMA

1997 before. me personally came John C. Fisher, to me known who being by me duly s-an, did depose On thi&hday of JUlY and say that be is a Vice President of AME'RICAN BONDING COMPANY. the ~rporation desa-heci in and whii executed the alxwe 'hstrumgnt that he knows the seal of the said corporation; that the seal afirxed to the sdd insbument is such cogorate se& that it was so affi b/ order o! the Board of Directors of said corporation and that he dgnd his name there:0 by Ik Order.

EXAMPLE

OFFICIAL SEAL CHRISTIE TURLEY NOTARY PUBLIC My Commission Expir

CERTIFICATE

CHRISTIE TURLEY NOTARY PUBLIC

AMERICAN BONDING COMPANY

Vice President

ssion Expires March 10.

I, the undersigned, an Assistant Secretary of AMERICAN BONDING COMPANY, an Arizona ~O~~ D0 HEREBY CERTIFY that the foregoing and attached Power of Attorney remains in full fo:ce and ha not &en revdk-and furthermore that the Resdution of the Ec& of pime se1 forth in the said Power of Aaomey. is nw in force.

Signed and sealed at the city of Tucson, in the State of Arizona Dated the 28th day of JUIY

1997



Florence E. Robert, Assistant Secretary

ExcQlMpLE

TO THE SECRETARY OF TRANSPORTATION OLYMPIA, WASHINGTON

THIS CERTIFIES THAT THE UNDERSIGNED HAS EXAMINED THE LOCATION OF

SR 405 IN KING COUNTY, MP 18.67 TO MR 22.199 NORTHUP TO BOTHELL HIGH WOODLANDS NOISE WALL, A FEDERAL AID INTERSTATE MAINTENANCE PROJECT NO. IM-405-3 (834) t

AND THAT THE PLAN& SPECIFICATIONS AND CONTRACT GOVERNINS THE NORK EMBRACED WITHIS IMPROVEMENT1 AND THE METHOD BY WHICH PAYMENT WILL BE MADE FOR SAID WORK IS UNDERSTOOD. THE UNDERSIGNED HEREBY PROPOSES TO UND RTAKE AND COFFPLETE THE WORK EMBRACED IN THIS IMPROVEMENT, OR AS MUCH FHEREOF AS CAN BE COMPLETED WITH THE MONEY AVAILABLE IN ACCORDANCE WITH THE SAID PLANS SPECIFICATIONS AND CONTRACFT AND THE FOLLOWING SCHEDULE OF RATES AND PRICES:

(NOIET UNIT PRICES FOR ALL ITEMS, ALL EXTENSIONSP AND TOTAL AHOUNT OF BID SHALL BE SHOWN. ALL ENTRIES MUST BE TYPED OR ENTERED IN INK.)

++		<b></b>	+	*
ITEM NO.	<b>PLAN</b> QUANTITY	ITEM DESCRIPTION (STANDARD ITEM NUMBER)	PRICE PER UNIT	
			DOLLARS *	l DOLLARS
44		PREPARATION	<b>+</b>	
1	LUMP SUM	MOBILIZATION (0001)	LUMP SUM	~200,000,00~
		FORCE ACCOUNT REMOVING	ļ 	1E-AAA-AA+
2 1 .	_	BURIED DEBRIS (7715)	ESTIMATED I	101000.00
<b>+</b>	~	GRADING		,
	CU. YD.	ROADWAY EXCAVATION INCL. HAUL (0310) P	1 1 1 1	116.25
4	41 Cu. <b>YD•</b>	EMBANKMENT COMPACTION (0470)	PER CU. yb.	•
		DRAINAGE		
	2.4 CU• YD•	QUARRY SPALLS / (1085)	AT OF CH YD.	
+		110037	PER CU. 150	
Annu-1-		STORM SEWER		
, 1	4	· · · · · · · · · · · · · · · · · · ·	' A T	
6	EACH.	(3091)	PER EACH	•
T			,	,

## **EXAMPLE**

\*-SHOW PRICE PER UNIT IN FIGURES ONLY. FIGURES WRITTEN TO THE RIGHT OF THE DOT (DECIMAL), IN THE PRICE PER UNIT COLUMN SHALL BE INTERPRETED AS CENTS.

SR 405 NORTHUP TO BOTHELL HIGH WOODLANDS NOISE HALL 97W024

h==== 4			
ITEM NO.	PLAN QUANTITY	ITEM DESCRIPTION PRICE PER UNIT TOTAL AN (STANDARD ITEM NUMBER) I DOLLARS * DOLLARS	
7	EACH <sup>1</sup>	CATCH BASIN TYPE 2 48 AT IN DIAM (3105) IPER EACH DEDUCTION DOLLARS	
8	LIN. FT.	TESTING STORM SEWER AT PIPE (3151) PER CIN. Ft.	
9	32 LIN. F T .	PLAIN CONC. STORM SEWER AT PIPE 12 IN. DIAM. (3394) PER LIN. Ft.	•
10	38 LIN• FT.	PLAIN CONC. <b>Storm Semen</b> AI PIPE 18 IN. <b>DIAM</b> (3396) FER LIN. <b>FT</b>	•
	•	STRUCTURE EXAMPLE	
11	11,250 <b>SQ</b> FT.	NOISE WALL AT DA 450	00.00
12	EACH <sup>2</sup>	ACCESS DOOR AT PROPERTY OF THE	•
13		REMOVING <b>SOLID</b> ROCK FROM FOUNDATION ESTIMATED . 2~0 EXCAVATION ( )	00.00
		SURFACING	
14	86 TON	CRUSHED SURFACING BASE AT COURSE (5100) PER TON I	•
	ERC	OSION CONTROL AND PLANTING	
15	O.34 ACRE I	SEEDING FERTILIZING AT AND MULCHING (6414) PER ACRE	•
16		I IEMPUKAKI WAIEK I I	00.00
17	CU. 100	SOIL AMENDMENT AT 03% 42	.46
18	5 . 5 ACRE	WEED CONTROL AT PER ACRE	•
10	5 5	SPECIAL SEED MIX AT	

<sup>\*-</sup>SHOW PRICE PER UNIT IN FIGURES ONLY. FIGURES WRITTEN TO THE RIGHT OF THE DOT (DECIMAL) IN THE PRICE PER UNIT COLUMN SHALL BE INTERPRETED AS CENTS.

SR 405 NORTHUP TO BOTHELL HIGH WOODLANDS NOISE WALL 97W024

ACRE 5.5

**EXAMPLE** 

ACRE

) PER

<b>.</b>	4				
ITEM		ITEM DESCRIPTION	PRICE PER UNIT	TOTAL AMOUNT	
NO.	QUANTITY	( STANDARD ITEM NUMBER)	DOLLARS •	I DOLLARS	
20	50	DAM	AT		
	EACH		PER EACH	+	
		TRAFFIC	EXAMPLE		
(21)	40	TRAFFIC SAFETY DRUM	AT 18.50	740.00	
	EACH	(6954)	PER () EACH	Ø <del>-150 .∞</del>	
22	LUMP SUM	TEMPORARY TRAFFIC CONTROL DEVICES (6964)	LUMP SUM		
23	108		AT		
	HOUR	(6979) TRAFFIC CONTROL VEHICLE		0	
24	18 Day	(6968)	1, ●.	<u> </u>	
25	72	SUPERVISOR	AT DED		
	HOUR	(6972) CONSTRUCTION SIGNS	PER HOUR		
2	6 SQ. FT.	CLASS A (6982)		·	
	OTHER ITEMS				
	30	STRUCTURE EXCAVATION CLASS B INCL. HAUL	AT		
27	CU. YD.	(7006)		•	
28	70 SQ. FT.	SHORING OR EXTRA EXCAVATION CLASS B (7008)	PER SQ. FT.	N/C.	
29	CU. YD.	GRAVEL BACKFILL FOR FOUNDATION CLASS B (7012)	AT		
30	LUMP SUM	CLEANING EXISTING DRAINAGE STRUCTURE (7350)	LUMP SUM		
			AT		
31	EACH EACH	STORM SEWER PIPE	PER EACH	•	
32		CREDIT/DEBITS-MINOQ CHANGES (7727)	CALCULATED	-1.00	
3	3 3,693 LIN. FT•	CONSTRUCTION GEOTEXTILE FOR TEMPORARY SILT FENCE (7540)		•	
	+				

<sup>\*-</sup>SHOW PRICE PER UNIT IN FIGURES **ONLY. FIGURES** WRITTEN TO THE RIGHT OF THE DOT (**DECIMAL**) IN THE PRICE PER UNIT **COLUMN** SHALL BE INTERPRETED AS CENTS.

SR 405 NORTHUP TO BOTHELL HIGH WOODLANDS NOISE WALL 97W024

**EXAMPLE** 

	ITEM NO.	PLAN QUANTITY	[TEM DESCRIPTION (STANDARD ITEM NUMBER)	PRICE PER UNIT	TOTAL AMOUNT  DOLLARS  I
	3 4	LUMPI SUM	PIPE GATE	LUMP SUM	
•	_		(	CONTRACT TOTAL	2,356,211,50 2,356,131.22

**EXAMPLE** 

+-SHOW PRICE PER UNIT IN FIGURES ONLY. FIGURES WRITTEN TO THE RIGHT OF THE DOT (DECIMAL) IN THE PRICE PER UNIT COLUMN SHALL BE INTERPRETED AS CENTS.

SR 405 NORTHUP TO BOTHELL HIGH WOODLANDS NOISE WALL 97W024

## NON-COLLUSION DECLARATION

I, by signing the proposal, hereby declare, under penalty of perjury under the laws of the United States that the following statements are true and correct:

- 1. That the undersigned person(s), firm, association or corporation has (have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this proposal is submitted.
- 2. That by signing the signature page of this proposal, I am deemed to have signed and to have agreed to the provisions of this declaration.

## NOTICE TO ALL BIDDERS

To report rigging activities call:

I - 800- 424- 9071

The U.S. Department of Transportation (USDOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m., eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities.

The "hotline" is part of USDOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the USDOT Inspector General. All information will be treated confidentially and caller anonymity'will be respected.

## **Certification for Federal-Aid Contracts**

The prospective participant certifies by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

- (1) No Federal appropriated funds have been paid or will we paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

This certification is material representation of the fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, Title 31, U.S. Code. Any person who fails to file the reauired certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each failure.

The prospective participant also agrees by submitting his or her bid or proposal that he or she shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such subrecipients shall certify and disclose accordingly.



Name ofBidder

## Disadvantaged Business Enterprise Utilization Certification

certifies that the following Disadvantaged Business Enterprise(s)

To be eligible for award of this contract the bidder must fill out and submit, as part of his/her proposal, the following certification relating to Disadvantaged Business Enterprise (DBE) requirements. This certification shall be deemed a part of the resulting contract. Failure to fill out and submit this certification, the inclusion of a false certification, or insufficient projected use of DBEs, shall be considered as evidence that the proposal is non-responsive to the invitation to bid. Information on certified firms is available from OMWBE, phone (360) 753-9693.

(DBE) have been contacted regarding participation on this project and, if it is the successful bidder on this project, it shall award

Name of DBE Certificate Number	Capacity * (Prime, Joint Venture, Subcontractor, Manufacturer, Regular Dealer, Service Provider)	Description of Work	Amount to be Applied Towards Goal
1.		article (1) Marie Albert (1) A state a marie and a state about the state and a state and a state at the state a	
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			1,75 - 50, 75 - 5

Example

The Contracting Agency will utilize the above data to determine whether or not the bidder has met the goal or the average goal

Regular Dealer status must be approved by the Office of Equal Opportunity, Wash. State Dept. of Transportation,

See the section "Counting DBE Participation Toward Meeting the Goal" in the Contract Document.

attainment of all bidders.

on each contract.



## **Proposal - Signature Page**

The bidder is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

A proposal guaranty in an amount of five percent (5%) of the total bid, based upon the approximate estimate of quantities at the above prices and in the form as indicated below is attached hereto:

Ca	ash	Ц	In the Ai	nount of		<u> </u>
Ca	ashier's Check					Dollars
C	ertified Check	cl	(\$	) Paya	ble to the State	Treasurer
Pı	roposal Bond		In the An	nount of 5% of the B	id	
Rece	ipt is hereby ackn	owledge	d of addend	um(s) No.(s)	,	&
Pro	oposal Must be	Signed	<b>.</b>	_	of Authorized (	
		<b>-</b> :	Nama			
		FI	rm Name			
			Address			
State	e of Washington C	Contracto	r's License	No.		
			Federal ID			
Note	<b>)</b> :					
(1)		n from th	e Secretary	of Transportation wi		me entered hereon without considering the proposal
(2)				standard specification ders for building con-		tion of Proposal," or
(3)		•	•	s proposal either in voosal number in you	•	ectronic means, please



Project Name

## Subcontractor List

Prepared in compliance with RCW 39.30.060 as amended

## To Be Submitted with the Bid Proposal

conditioning, plumbing, as described in Chapter 18.106 RCW, and electrical as described in Chapter 19.28 RCW will result in your bid being non-responsive and therefore void.
Subcontractor(s) that are proposed to perform the work of heating, ventilation and air conditioning, plumbing, as described in Chapter 18.106 RCW, and electrical as described in Chapter 19.28 RCW must be listed below. The work to be performed is to be listed below the subcontractor(s) name.
If no subcontractor is listed below, the bidder acknowledges that it does not intend to use any subcontractor to perform those items of work.
Subcontractor Name  Work to be Performed
Subcontractor Name
Subcontractor Name
Work to be Performed
Subcontractor Name
Work to be Performed/
Subcontractor Name
Work to be Performed

SR 405 NORTHUP TO BOTHELL HIGH WOODLANDS NOISE WALL 97W024


## MEMORANDUM OF PROPOSAL NUMBER

This memorandum is provided to assist you in recalling your proposal number in the event it becomes necessary to amend your bid for the- referenced project. Please detach and retain in your files.

In order to provide security from compromise, your firm will have the only record of this number and no record will be kept of it by the Department. Should the loss or destruction of this memorandum preclude the Contractor from having knowledge of the proposal number hereon, and in the event an amendment to his/her proposal becomes necessary, such amendment will be accepted only if it is furnished to the Department in writing prior to the established time of bid opening and signed by an authorized representative of the bidder's firm. This may require hand delivery of the proposal change. Should permission be granted to submit an informational proposal, the preceding requirements shall prevail.

Should it be necessary to modify your proposal by facsimile machine, or telegram, please make reference to the following proposal number in your communication.

The fax number for bid changes is (360) 705-6810.



**EXAMPLE** 

SR **405** NORTHUP TO BOTHELL HIGH WOODLANDS NOISE WALL 97W024